SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Article

Trade name : TJEP #124200, #124204

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public

Main use category : Consumer use, Professional use, Industrial use

Use of the substance/mixture : Battery

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Jiangsu Highstar Battery Manufacturing Co., Ltd. No.306 Heping Road(s), Qidong City, Jiangsu 226200 - CHINA T 13862972515 luhf@highstar.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9 Dublin	+353 1 809 2566 (Healthcare professionals-24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Article. According to EC directives or the corresponding national regulations there is no labelling obligation for this product.

Not applicable.

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : Not applicable. This article contains neither dangerous substances nor dangerous mixtures which are intended

to be released under normal or reasonably foreseeable conditions of use.

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Article

Battery

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cobalt lithium manganese nickel oxide	(CAS-No.) 182442-95-1	32	Acute Tox. 2 (Inhalation), H330 Carc. 1A, H350 STOT RE 1, H372
Graphite	(CAS-No.) 7782-42-5 (EC-No.) 231-955-3	17	Not classified
Iron	(CAS-No.) 7439-89-6 (EC-No.) 231-096-4	16	Not classified
Copper (Cu)	(CAS-No.) 7440-50-8 (EC-No.) 231-159-6 (EC Index) 029-024-00-X	12	Aquatic Acute 1, H400
Dimethyl carbonate	(CAS-No.) 616-38-6 (EC-No.) 210-478-4 (EC Index) 607-013-00-6	6	Flam. Liq. 2, H225
Aluminium	(CAS-No.) 7429-90-5 (EC-No.) 231-072-3 (EC Index) 013-002-00-1	6	Not classified
Polyethylene	(CAS-No.) 9002-88-4 (EC-No.) 618-339-3	3	Not classified
Ethylene carbonate	(CAS-No.) 96-49-1 (EC-No.) 202-510-0	3	Eye Irrit. 2, H319
Lithium hexafluorophosphate(1-)	(CAS-No.) 21324-40-3 (EC-No.) 244-334-7 (EC Index) -	3	Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314 STOT RE 1, H372
Carbonate, methyl ethyl	(CAS-No.) 623-53-0 (EC-No.) 433-480-9	1	Flam. Liq. 2, H225
Nickel	(CAS-No.) 7440-02-0 (EC-No.) 231-111-4 (EC Index) 028-002-00-7	1	Skin Sens. 1, H317 Carc. 2, H351 STOT RE 1, H372

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice

: First aider: Pay attention to self-protection!. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.

SAFETY DATA SHEET Page: 3 / 19 Revision nr: 1.0A Issue date: 14/12/2021 rechargeable li-ion battery 3.7V Supersedes:

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Inhalation : Not expected to be a primary route of exposure. Remove casualty to fresh air

and keep warm and at rest. In case of doubt or persistent symptoms, consult

always a physician.

Skin contact : Not expected to be a primary route of exposure. Remove contaminated

clothing and shoes. Gently wash with plenty of soap and water. In case of

doubt or persistent symptoms, consult always a physician.

Eyes contact : Not expected to be a primary route of exposure. Rinse immediately carefully

and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. In case of doubt or persistent symptoms, consult

always a physician.

Ingestion : Rinse mouth thoroughly with water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation : Not expected to present a significant inhalation hazard under anticipated

conditions of normal use. Fatal if inhaled. (Electrolyte).

Skin contact : Not expected to present a significant skin hazard under anticipated conditions

of normal use. May cause skin irritation. May cause an allergic skin reaction.

(Electrolyte).

Eyes contact : Not expected to present a significant eye contact hazard under anticipated

conditions of normal use. Causes serious eye damage. (Electrolyte).

Ingestion : Not expected to present a significant ingestion hazard under anticipated

conditions of normal use. The following symptoms may occur: Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

(Electrolyte).

Chronic symptoms : Not expected to present a significant hazard under anticipated conditions of

normal use. May cause cancer. Causes damage to organs (lungs, bone marrow) through prolonged or repeated exposure (Inhalation). (Electrolyte).

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), dry chemical powder, foam. Dry sand.

Unsuitable extinguishing media : Do not use extinguishing media containing water.

5.2. Special hazards arising from the substance or mixture

Specific hazards : Heating may cause a fire or explosion.

Hazardous decomposition products in

case of fire

: Carbon oxides (CO, CO2). Metallic oxides.

5.3. Advice for firefighters

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain

the extinguishing fluids by bunding. Prevent fire fighting water from entering

the environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-

contained breathing apparatus.

Other information : Do not allow run-off from fire-fighting to enter drains or water courses.

Dispose of waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel

: Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

6.1.2. For emergency responders

For emergency responders

: Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Large spills: scoop solid spill into closing containers. This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Keep out of reach of children. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials.

Hygiene measures

: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a dry, cool and well-ventilated place. Protect from moisture. Avoid shock and friction. Do not store near or with any of the incompatible materials listed in section 10.

Incompatible materials

: Water

Heat and ignition sources

: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of direct sunlight.

. Do not nicono an house a stranger

Special rules on packaging

: Do not pierce or burn, even after use.

Packaging materials

: Keep only in the original container.

7.3. Specific end use(s)

Battery.

SAFETY DATA SHEET	Page: 5 / 19 Revision nr: 1.0A Issue date: 14/12/2021
rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh	Supersedes :

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Graphite (7782-42-5)		
Austria	MAK (OEL TWA)	5 mg/m³ (alveolar dust with <1% Quartz, respirable fraction)
Austria	MAK (OEL STEL)	10 mg/m³ (alveolar dust with <1% Quartz, respirable fraction)
Belgium	OEL TWA	2 mg/m³ (except fibers-alveolar fraction)
Bulgaria	OEL TWA	5 mg/m³ (inhalable fraction)
Croatia	GVI (OEL TWA) [1]	4 mg/m³ (respirable dust) 10 mg/m³ (total dust, inhalable particles)
Czech Republic	PEL (OEL TWA)	2 mg/m³ (dust)
Denmark	OEL TWA [1]	2,5 mg/m³ (natural-respirable)
Estonia	OEL TWA	5 mg/m³ (total dust (Dusts)
Finland	HTP (OEL TWA) [1]	2 mg/m ³
France	VME (OEL TWA)	2 mg/m³ (alveolar fraction)
Germany	Occupational exposure limit value (mg/m³) (TRGS900)	1,25 mg/m³ (respirable fraction (dust) 10 mg/m³ (inhalable fraction (dust)
Greece	OEL TWA	10 mg/m³ (inhalable fraction) 5 mg/m³ (respirable fraction)
Hungary	AK (OEL TWA)	5 mg/m³ (respirable)
Ireland	OEL TWA [1]	2 mg/m³ (all forms except fibres; respirable fraction)
Ireland	OEL STEL	6 mg/m³ (calculated-all forms except fibres; respirable fraction)
Latvia	OEL TWA	2 mg/m³ (Carbon dust)
Lithuania	IPRV (OEL TWA)	5 mg/m³ (dust)
Poland	NDS (OEL TWA)	4 mg/m³ (natural-inhalable fraction) 1 mg/m³ (natural-respirable fraction)
Portugal	OEL TWA	2 mg/m³ (all forms except Graphite fibers- respirable fraction)
Romania	OEL TWA	2 mg/m³ (Quartz <=5%-dust, respirable fraction)
Spain	VLA-ED (OEL TWA) [1]	2 mg/m³ (see UNE EN 481:1995 on workplace atmospheres-dust; respirable fraction)
United Kingdom	WEL TWA (OEL TWA) [1]	10 mg/m³ (inhalable dust) 4 mg/m³ (respirable dust)
United Kingdom	WEL STEL (OEL STEL)	30 mg/m³ (calculated-inhalable dust) 12 mg/m³ (calculated-respirable dust)
Norway	Grenseverdi (OEL TWA) [1]	5 mg/m³ (natural-total dust) 2 mg/m³ (natural-respirable dust) 10 mg/m³ (synthetic-total dust) 4 mg/m³ (synthetic-respirable dust)
Norway	Korttidsverdi (OEL STEL)	10 mg/m³ (natural-total dust) 4 mg/m³ (natural-respirable dust) 20 mg/m³ (synthetic-total dust) 8 mg/m³ (synthetic-respirable dust)

Page: 6 / 19

Revision nr : 1.0A

Issue date : 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Graphite (7782-42-5))	
Switzerland	MAK (OEL TWA) [1]	3 mg/m³ (natural-respirable dust)
Australia	OES TWA [1]	3 mg/m³ (containing no asbestos and <1% crystalline silica-respirable dust)
Canada (Quebec)	VEMP (OEL TWA)	2 mg/m³ (containing no Asbestos and <1% Crystalline silica, except Graphite fibres-respirable dust)
USA - ACGIH	ACGIH OEL TWA	2 mg/m³ (all forms except graphite fibers- respirable particulate matter)
USA - IDLH	IDLH	1250 mg/m³ (Graphite (natural))
USA - NIOSH	NIOSH REL TWA	2,5 mg/m³ (natural-respirable dust)
USA - OSHA	OSHA PEL TWA [1]	15 mg/m³ (synthetic-total dust) 5 mg/m³ (synthetic-respirable fraction)
Polyethylene (9002-	88-4)	
Bulgaria	OEL TWA	10 mg/m³ (dust (Dust from Polyethylene)
Czech Republic	PEL (OEL TWA)	5 mg/m³ (dust)
Latvia	OEL TWA	5 mg/m³ (dust (Polymers dust)
Lithuania	IPRV (OEL TWA)	10 mg/m ³
Copper (Cu) (7440-5	0-8)	
Austria	MAK (OEL TWA)	1 mg/m³ (inhalable fraction) 0,1 mg/m³ (respirable fraction, smoke)
Austria	MAK (OEL STEL)	4 mg/m³ (inhalable fraction) 0,4 mg/m³ (respirable fraction, smoke)
Belgium	OEL TWA	0,2 mg/m³ (fume) 1 mg/m³ (dust and mist)
Bulgaria	OEL TWA	0,1 mg/m³ (metal vapor)
Croatia	GVI (OEL TWA) [1]	0,2 mg/m³ (fume) 1 mg/m³ (dust)
Croatia	KGVI (OEL STEL)	2 mg/m³ (dust)
Czech Republic	PEL (OEL TWA)	1 mg/m³ (dust) 0,1 mg/m³ (fume)
Denmark	OEL TWA [1]	1 mg/m³ (dust and powder) 0,1 mg/m³ (fume)
Estonia	OEL TWA	1 mg/m³ (total dust) 0,2 mg/m³ (respirable dust)
Finland	HTP (OEL TWA) [1]	0,02 mg/m³ (respirable dust)
France	VME (OEL TWA)	0,2 mg/m³ (fume) 1 mg/m³ (dust)
France	VLE (OEL C/STEL)	2 mg/m³ (dust)
Greece	OEL TWA	0,2 mg/m³ (fume) 1 mg/m³ (dust)
Greece	OEL STEL	2 mg/m³ (dust)
Hungary	AK (OEL TWA)	0,1 mg/m³ 0,01 mg/m³ (fume)
Hungary	CK (OEL STEL)	0,2 mg/m ³
Ireland	OEL TWA [1]	0,2 mg/m³ (fume) 1 mg/m³ (dusts and mists)

Page: 7 / 19

Revision nr : 1.0A

Issue date : 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Copper (Cu) (7440-50-	8)	
Ireland	OEL STEL	2 mg/m³ (dusts and mists) 0,6 mg/m³ (calculated-fume)
Latvia	OEL TWA	0,5 mg/m ³
Lithuania	IPRV (OEL TWA)	1 mg/m³ (inhalable fraction) 0,2 mg/m³ (respirable fraction)
Netherlands	TGG-8u (OEL TWA)	0,1 mg/m³ (inhalable dust)
Poland	NDS (OEL TWA)	0,2 mg/m ³
Portugal	OEL TWA	0,2 mg/m³ (fume) 1 mg/m³ (dust and mist)
Romania	OEL TWA	0,5 mg/m³ (dust)
Romania	OEL STEL	0,2 mg/m³ (fume) 1,5 mg/m³ (dust)
Slovakia	NPHV (OEL TWA) [1]	1 mg/m³ (inhalable fraction) 0,2 mg/m³ (respirable fraction)
Spain	VLA-ED (OEL TWA) [1]	0,1 mg/m³ (see UNE EN 481:1995 on workplace atmospheres-respirable fraction)
Sweden	NGV (OEL TWA)	0,01 mg/m³ (respirable fraction)
United Kingdom	WEL TWA (OEL TWA) [1]	1 mg/m³ (dust and mists) 0,2 mg/m³ (fume)
United Kingdom	WEL STEL (OEL STEL)	0,6 mg/m³ (calculated-fume) 2 mg/m³ (dust and mist)
Norway	Grenseverdi (OEL TWA) [1]	0,1 mg/m³ (fume) 1 mg/m³ (dust)
Norway	Korttidsverdi (OEL STEL)	3 mg/m³ (value calculated-dust) 0,3 mg/m³ (value calculated-fume)
Switzerland	MAK (OEL TWA) [1]	0,1 mg/m³ (inhalable dust)
Switzerland	KZGW (OEL STEL)	0,2 mg/m³ (inhalable dust)
Australia	OES TWA [1]	1 mg/m³ (dust and mist) 0,2 mg/m³ (fume)
Canada (Quebec)	VEMP (OEL TWA)	0,2 mg/m³ (fume) 1 mg/m³ (dust and mist)
USA - ACGIH	ACGIH OEL TWA	0,2 mg/m³ (fume)
USA - IDLH	IDLH	100 mg/m³ (dust, fume and mist)
USA - NIOSH	NIOSH REL TWA	1 mg/m³ (dust and mist) 0,1 mg/m³ (fume)
USA - OSHA	OSHA PEL TWA [1]	0,1 mg/m³ (fume) 1 mg/m³ (dust and mist)
Aluminium (7429-90-	5)	
Austria	MAK (OEL TWA)	10 mg/m³ (inhalable fraction)
Austria	MAK (OEL STEL)	20 mg/m³ (inhalable fraction)
Belgium	OEL TWA	1 mg/m ³
Bulgaria	OEL TWA	10 mg/m³ (inhalable fraction) 1,5 mg/m³ (respirable fraction)
Croatia	GVI (OEL TWA) [1]	10 mg/m³ (total dust, inhalable particles) 4 mg/m³ (respirable dust)
Czech Republic	PEL (OEL TWA)	10 mg/m³ (dust)

Page: 8 / 19

Revision nr : 1.0A

Issue date : 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Aluminium (7429-90-5	5)	
Denmark	OEL TWA [1]	5 mg/m³ (dust and powder; total) 2 mg/m³ (dust and powder; respirable)
Estonia	OEL TWA	10 mg/m³ (total dust) 4 mg/m³ (respirable dust)
France	VME (OEL TWA)	10 mg/m³ (metal) 5 mg/m³ (dust)
Germany	Occupational exposure limit value (mg/m³) (TRGS900)	1,25 mg/m³ (respirable fraction (dust) 10 mg/m³ (inhalable fraction (dust)
Germany	Biological limit value	50 µg/g creatinine Parameter: Aluminum - Medium: urine - Sampling time: for long-term exposures: at the end of the shift after several shifts
Greece	OEL TWA	10 mg/m³ (inhalable fraction) 5 mg/m³ (respirable fraction)
Hungary	AK (OEL TWA)	1 mg/m³ (respirable dust)
Ireland	OEL TWA [1]	1 mg/m³ (respirable fraction)
Ireland	OEL STEL	3 mg/m³ (calculated-respirable dust)
Latvia	OEL TWA	2 mg/m ³
Lithuania	IPRV (OEL TWA)	5 mg/m³ (inhalable fraction) 2 mg/m³ (respirable fraction) 1 mg/m³
Poland	NDS (OEL TWA)	2,5 mg/m³ (non-stabilized-inhalable fraction) 1,2 mg/m³ (non-stabilized-respirable fraction)
Portugal	OEL TWA	10 mg/m³ (metal dust)
Romania	OEL TWA	3 mg/m³ (dust) 1 mg/m³ (fume)
Romania	OEL STEL	10 mg/m³ (dust) 3 mg/m³ (fume)
Slovakia	NPHV (OEL TWA) [1]	4 mg/m³ (inhalable dust) 1,5 mg/m³ (respirable dust)
Spain	VLA-ED (OEL TWA) [1]	1 mg/m³ (see UNE EN 481:1995 on workplace atmospheres-respirable fraction)
Sweden	NGV (OEL TWA)	5 mg/m³ (total dust) 2 mg/m³ (respirable fraction)
United Kingdom	WEL TWA (OEL TWA) [1]	10 mg/m³ (inhalable dust) 4 mg/m³ (respirable dust)
United Kingdom	WEL STEL (OEL STEL)	30 mg/m³ (calculated-inhalable dust) 12 mg/m³ (calculated-respirable dust)
Norway	Grenseverdi (OEL TWA) [1]	5 mg/m³ (pyrotechnical-powder)
Norway	Korttidsverdi (OEL STEL)	10 mg/m³ (pyrotechnical-powder)
Switzerland	MAK (OEL TWA) [1]	3 mg/m³ (respirable dust)
Australia	OES TWA [1]	10 mg/m³ (dust) 5 mg/m³ (welding fume)
Canada (Quebec)	VEMP (OEL TWA)	10 mg/m ³
USA - ACGIH	ACGIH OEL TWA	1 mg/m³ (respirable particulate matter)
USA - NIOSH	NIOSH REL TWA	10 mg/m³ (total dust) 5 mg/m³ (respirable dust)

Page: 9 / 19

Revision nr : 1.0A

Issue date : 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Aluminium (7429-90-5	5)	
USA - OSHA	OSHA PEL TWA [1]	15 mg/m³ (total dust) 5 mg/m³ (respirable fraction)
Iron (7439-89-6)		
Bulgaria	OEL TWA	6 mg/m³ (containing <2% free Crystalline silicon dioxide in respirable fraction-dust, inhalable fraction)
Slovakia	NPHV (OEL TWA) [1]	6 mg/m³ (total aerosol)
Nickel (7440-02-0)		
Austria	TRK (OEL TWA)	0,5 mg/m³ (dust, inhalable fraction)
Belgium	OEL TWA	1 mg/m³
Bulgaria	OEL TWA	0,05 mg/m ³
Croatia	GVI (OEL TWA) [1]	0,5 mg/m ³
Czech Republic	PEL (OEL TWA)	0,5 mg/m³ (respirable fraction of aerosol)
Denmark	OEL TWA [1]	0,05 mg/m³ (dust and powder)
Estonia	OEL TWA	0,5 mg/m³
Finland	HTP (OEL TWA) [1]	0,01 mg/m³ (respirable dust)
France	VME (OEL TWA)	1 mg/m³ 1 mg/m³ (metal gratings)
Germany	Occupational exposure limit value (mg/m³) (TRGS900)	0,03 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-respirable fraction) 0,006 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-inhalable fraction)
Greece	OEL TWA	1 mg/m ³
Ireland	OEL TWA [1]	0,5 mg/m ³
Ireland	OEL STEL	1,5 mg/m³ (calculated)
Latvia	OEL TWA	0,05 mg/m ³
Lithuania	IPRV (OEL TWA)	0,5 mg/m³
Poland	NDS (OEL TWA)	0,25 mg/m³
Portugal	OEL TWA	1,5 mg/m³ (inhalable fraction)
Romania	OEL TWA	0,1 mg/m³
Romania	OEL STEL	0,5 mg/m ³
Slovenia	OEL TWA	0,006 mg/m³ (respirable fraction)
Slovenia	OEL STEL	0,048 mg/m³ (respirable fraction)
Spain	VLA-ED (OEL TWA) [1]	1 mg/m³ (manufacturing, commercialization and use restrictions according to REACH)
Sweden	NGV (OEL TWA)	0,5 mg/m³ (total dust)
United Kingdom	WEL TWA (OEL TWA) [1]	0,5 mg/m³
United Kingdom	WEL STEL (OEL STEL)	1,5 mg/m³ (calculated)
Norway	Grenseverdi (OEL TWA) [1]	0,05 mg/m³
Norway	Korttidsverdi (OEL STEL)	0,15 mg/m³ (value calculated)

Page: 10 / 19

Revision nr : 1.0A

Issue date: 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Supersedes:

Nickel (7440-02-0)		
Switzerland	MAK (OEL TWA) [1]	0,5 mg/m³ (inhalable dust)
Australia	OES TWA [1]	1 mg/m ³
Canada (Quebec)	VEMP (OEL TWA)	1,5 mg/m³ (inhalable dust)
USA - ACGIH	ACGIH OEL TWA	1,5 mg/m³ (inhalable particulate matter)
USA - IDLH	IDLH	10 mg/m ³
USA - NIOSH	NIOSH REL TWA	0,015 mg/m ³
USA - OSHA	OSHA PEL TWA [1]	1 mg/m³

Additional information : Recommended monitoring procedures :. Personal air monitoring. Room air

monitoring

8.2. Exposure controls

Engineering measure(s) : Provide adequate ventilation. Organisational measures to prevent /limit

releases, dispersion and exposure. See Section 7 for information on safe

handling.

Personal protective equipment : The type of protective equipment must be selected according to the

concentration and amount of the dangerous substance at the specific

workplace.

Hand protection : Not required for normal conditions of use. As appropriate. Wear suitable

gloves (EN 374). Protection against mechanical risks.

Eye protection : Not required for normal conditions of use. tightly fitting safety goggles (EN

166)

Body protection : Wear suitable protective clothing

Respiratory protection : Not required for normal conditions of use. In case of insufficient ventilation,

wear suitable respiratory equipment, full face mask (DIN EN 136). Half-face

mask (DIN EN 140). Filter type: ABEKP (EN141).

Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.

Environmental exposure controls : Avoid release to the environment. Comply with applicable Community

: Not applicable

environmental protection legislation.

SECTION 9: Physical and chemical properties

Decomposition temperature

9.1. Information on basic physical and chemical properties

Physical state : Solid **Appearance** : Article. Colour : orange. Odour : odourless. Odour threshold : Not applicable рH : Not applicable : Not available Relative evaporation rate (butylacetate=1) : Not applicable Melting / freezing point : Not applicable Freezing point : Not applicable Initial boiling point and boiling range : Not applicable Flash point : Not applicable Auto-ignition temperature : Not applicable

Page: 11 / 19

Revision nr: 1.0A

Issue date: 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Supersedes:

Flammability (solid, gas) : Article, Not applicable

Vapour pressure : Not applicable
Vapour density : Not applicable
Relative density : Not applicable

Solubility : Water: Not applicable

Partition coefficient n-octanol/water : Not applicable
Kinematic viscosity : Not applicable
Dynamic viscosity : Not applicable

Explosive properties : Not applicable. The study does not need to be conducted because there are

no chemical groups associated with explosive properties present in the

molecule

Oxidising properties : Not applicable. The classification procedure needs not to be applied because

there are no chemical groups present in the molecule which are associated

with oxidising properties.

Explosive limits : Not applicable
Particle size : Not applicable
Particle size distribution : Not applicable
Particle shape : Not applicable
Particle aspect ratio : Not applicable
Particle aggregation state : Not applicable

Not applicable

Particle agglomeration state : Not applicable
Particle specific surface area : Not applicable
Particle dustiness : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

Relative evaporation rate (butylacetate=1) : Not applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

None under normal conditions. Reference to other sections: 10.4 & 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion. See Section 7 for information on safe handling.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Protect from sunlight. Avoid shock and friction. See Section 7 for information on safe handling.

10.5. Incompatible materials

Water. See Section 7 for information on safe handling.

10.6. Hazardous decomposition products

Reference to other sections 5.2.

Kinematic viscosity

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity : Not classified (Article: Not applicable)

Graphite (7782-42-5)	
LC50/inhalation/4h/rat	> 2000 mg/m³ (Exposure time: 4 h)
Polyethylene (9002-88-4)	
LD50/oral/rat	> 8 g/kg
LD50 oral	> 8 g/kg Rat
Ethylene carbonate (96-49-1)	
LD50/oral/rat	10 g/kg
LD50/dermal/rabbit	> 26420 mg/kg
LC50/inhalation/4h/rat	> 730 mg/m³ (Exposure time: 8 h)
Dimethyl carbonate (616-38-6)	
LD50/oral/rat	> 6000 mg/kg (small rat) >13000 mg/kg (big rat)
Copper (Cu) (7440-50-8)	
LC50/inhalation/4h/rat	> 5,11 mg/l/4h
Aluminium (7429-90-5)	
LC50/inhalation/4h/rat	> 0,888 mg/l/4h
Iron (7439-89-6)	
LD50/oral/rat	30 g/kg
Carbonate, methyl ethyl (623-53-0)	
LD50/oral/rat	> 15000 mg/kg
LC50/inhalation/4h/rat	> 17,6 mg/l/4h
Nickel (7440-02-0)	
LD50/oral/rat	> 9000 mg/kg
LD50 oral	> 9000 mg/kg
LC50/inhalation/4h/rat	> 10,2 mg/l (Exposure time: 1 h)
Skin corrosion/irritation	: Not classified (Article: Not applicable)
	pH: Not applicable
Serious eye damage/irritation	: Not classified (Article: Not applicable)
	pH: Not applicable
Respiratory or skin sensitisation	: Not classified (Article: Not applicable)
Germ cell mutagenicity	: Not classified (Article: Not applicable)
Carcinogenicity	: Not classified (Article: Not applicable)
Reproductive toxicity	: Not classified (Article: Not applicable)
STOT-single exposure	: Not classified (Article: Not applicable)
STOT-repeated exposure	: Not classified (Article: Not applicable)
Aspiration hazard	: Not classified (Article: Not applicable)
rechargeable li-ion battery 3.7V ISR18	8650-2000 2000mAh 7.4Wh
	T

Not applicable

Other information

: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Adverse health effects caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

11.2.2 Other information

Other information

: Symptoms related to the physical, chemical and toxicological characteristics, For further information see section 4

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties

: According to the criteria of the European classification and labelling system,

the substance/the product has not to be labelled as "dangerous for the

environment".

Hazardous to the aquatic environment,

short-term (acute)

: Not classified

Hazardous to the aquatic environment,

long-term (chronic)

: Not classified

iong-term (cmome)	
Graphite (7782-42-5)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Ethylene carbonate (96-49-1)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Copper (Cu) (7440-50-8)	
LC50 - Fish [1]	0,0068 – 0,0156 mg/l (Exposure time: 96 h - Species: Pimephales promelas)
LC50 - Fish [2]	< 0,3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])
EC50 - Crustacea [1]	(Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 72h - Algae [1]	≤ 0,0535 mg/l (Species: Pseudokirchneriella subcapitata [static])
EC50 96h - Algae [1]	≤ 0,054 mg/l (Species: Pseudokirchneriella subcapitata [static])
Carbonate, methyl ethyl (623-53-0	D)
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semistatic])
Nickel (7440-02-0)	
LC50 - Fish [1]	> 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)
LC50 - Fish [2]	1,3 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static])
EC50 - Crustacea [1]	> 100 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Page: 14 / 19

Revision nr: 1.0A

Issue date : 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Supersedes:

EC50 72h - Algae [1]	(Species: Pseudokirchneriella subcapitata)
EC50 96h - Algae [1]	(Species: Pseudokirchneriella subcapitata [static])

12.2. Persistence and degradability

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh	
Persistence and degradability	No additional information available.

12.3. Bioaccumulative potential

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh	
Partition coefficient n-octanol/water	Not applicable
Bioaccumulative potential	No additional information available.

12.4. Mobility in soil

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh	
Mobility in soil	No data available

12.5. Results of PBT and vPvB assessment

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh	
Results of PBT assessment	Not applicable.

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

12.7. Other adverse effects

Other adverse effects : No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Avoid release to the environment. Dispose of empty containers and wastes safely. See Section 7 for information on safe handling. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

Additional information

: Do not puncture or incinerate.

European waste catalogue

(2001/573/EC, 75/442/EEC, 91/689/EEC)

: Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities

Page : 15 / 19

Revision nr: 1.0A

Issue date : 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Supersedes:

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID	
14.1. UN number					
3480	3480	3480	3480	3480	
14.2. UN proper ship	14.2. UN proper shipping name				
LITHIUM ION	LITHIUM ION	Lithium ion batteries	LITHIUM ION	LITHIUM ION	
BATTERIES	BATTERIES		BATTERIES	BATTERIES	
Transport document de	scription				
UN 3480 LITHIUM ION	UN 3480 LITHIUM ION	UN 3480 Lithium ion	UN 3480 LITHIUM ION	UN 3480 LITHIUM ION	
BATTERIES, 9A, (E)	BATTERIES, 9	batteries, 9A	BATTERIES, 9A	BATTERIES, 9A	
14.3. Transport haza	rd class(es)				
9A	9	9A	9A	9A	
14.4. Packing group					
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards					
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	
environment : No	environment : No	environment : No	environment : No	environment : No	
	Marine pollutant : No				
Not applicable					

14.6. Special precautions for user

Special precautions for user : No data available

- Overland transport

Classification code (ADR) : M4

Special provisions : 188, 230, 310, 348, 376, 377, 387, 636

Limited quantities (ADR) : 0
Excepted quantities (ADR) : E0

Packing instructions (ADR) : P903, P909, P910, P911, LP903, LP904, LP905, LP906

Transport category (ADR) : 2
Tunnel restriction code : E
EAC code : 2Y

- Transport by sea

Special provisions (IMDG) : 188, 230, 310, 348, 376, 377, 384, 387

Limited quantities (IMDG) : 0
Excepted quantities (IMDG) : E0

Packing instructions (IMDG) : P903, P909, P910, P911, LP903, LP904, LP905, LP906

EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-I
Stowage category (IMDG) : A
Stowage and handling (IMDG) : SW19

Page: 16 / 19

Revision nr: 1.0A

Issue date : 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Supersedes:

Properties and observations (IMDG)

: Electrical batteries containing lithium ion encased in a rigid metallic body. Lithium ion batteries may also be shipped in, or packed with, equipment. Electrical lithium batteries may cause fire due to an explosive rupture of the body caused by improper construction or reaction with contaminants.

- Air transport

PCA Excepted quantities (IATA) : E0

PCA Limited quantities (IATA) : Forbidden
PCA limited quantity max net quantity : Forbidden

(IATA)

PCA packing instructions (IATA) : Forbidden
PCA max net quantity (IATA) : Forbidden
CAO packing instructions (IATA) : See 965
CAO max net quantity (IATA) : See 965

Special provisions (IATA) : A88, A99, A154, A164, A183, A201, A206, A213, A331, A334, A802

ERG code (IATA) : 12FZ

- Inland waterway transport

Classification code (ADN) : M4

Special provisions (ADN) : 188, 230, 310, 348, 376, 377, 387, 636

Limited quantities (ADN) : 0

Excepted quantities (ADN) : E0

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

- Rail transport

Classification code (RID) : M4

Special provisions (RID) : 188, 230, 310, 348, _376, 377, 387, 636

Limited quantities (RID) : 0 Excepted quantities (RID) : E0

Packing instructions (RID) : P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906

Transport category (RID) : 2
Colis express (express parcels) (RID) : CE2
Hazard identification number (RID) : 90

14.7. Maritime transport in bulk according to IMO instruments

Code: IBC : No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substance on the REACH candidate list

15.1.2. National regulations

France

No ICPE	Installations classées Désignation de la rubrique	Code Régime	Rayon
na	Not Applicable	na	na

Germany

Regulatory reference : WGK 3, Highly hazardous to water (Classification according to AwSV, Annex 1)

WGK remark : Electrolyte

Hazardous Incident Ordinance (12.

BlmSchV)

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid : Not determined

SZW-lijst van kankerverwekkende

stoffen

: None of the components are listed

SZW-lijst van mutagene stoffen

SZW-lijst van reprotoxische stoffen -

Borstvoeding

: None of the components are listed: None of the components are listed

SZW-lijst van reprotoxische stoffen -

Vruchtbaarheid

: None of the components are listed

SZW-lijst van reprotoxische stoffen –

Ontwikkeling

: None of the components are listed

Denmark

Recommendations Danish Regulation

: Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

Not applicable

For the following substances of this mixture a chemical safety assessment has been carried out

Aluminium

SECTION 16: Other information

Abbreviations and acronyms:

ABM = Algemene beoordelingsmethodiek
ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC
IATA = International Air Transport Association
IMDG = International Maritime Dangerous Goods Code
LEL = Lower Explosive Limit/Lower Explosion Limit
UEL = Upper Explosion Limit/Upper Explosive Limit
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
BTT = Breakthrough time (maximum wearing time)
DMEL = Derived Minimal Effect level
DNEL = Derived No Effect Level
EC50 = Median Effective Concentration

Page: 18 / 19

Revision nr : 1.0A

Issue date: 14/12/2021

rechargeable li-ion battery 3.7V ISR18650-2000 2000mAh 7.4Wh

Supersedes:

EL50 = Median effective level
ErC50 = EC50 in terms of reduction of growth rate
ErL50 = EL50 in terms of reduction of growth rate
EWC = European waste catalogue
LC50 = Median lethal concentration
LD50 = Median lethal dose
LL50 = Median lethal level
NA = Not applicable
NOEC = No observed effect concentration
NOEL: no-observed-effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
TWA = time weighted average
VOC = Volatile organic compounds
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the : ECHA (European Chemicals Agency). LOLI. Supplier sds.

datasheet

Training advice

: Training staff on good practice.

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Carc. 1A	Carcinogenicity, Category 1A
Carc. 2	Carcinogenicity, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H350	May cause cancer.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Sens. 1	Skin sensitisation, Category 1

SAFETY DATA SHEET	Page : 19 / 19
	Revision nr : 1.0A
	Issue date : 14/12/2021
rechargeable li-ion battery 3.7V	Supersedes :
ISR18650-2000 2000mAh 7.4Wh	
101110000 2000 2000117 (11 7 1 1 1 1 1 1	

STOT RE 1 Specific target organ toxicity — Repeated exposure, Category 1

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.